

Madison Health for Veterinary Drugs

Research Center

Effect of Lactomass on the Amount of Feed Intake in Broiler Cycle

Product name: Lactomass

Product type: Nutrient and growth promoter

Product form: Suspension

Number of birds: 3500

Cycle days: 32

Strain: Cobb

Source: Al-Daqahleya Poultry - Meit Ghamr

Feed brand: Al-Daqahleya Poultry Feed

Start date: February 2019

Place of farm: Sidi Salem - Kafr Elshiekh

Birds were given Lactomass as a program for 204 hours divided by doses start from day one, and this is the program in details.

Day	Dose	Hours
Receiving first 12 hours	0.5 ml / liter	12
4:7	0.5 ml / liter	36 divided by 3 days
10-11	0.5 ml / liter	24 divided by 2 days
17-18	0.5 ml / liter	24 divided by 2 days
22-23	1 ml / liter	24 divided by 2 days
26:32	1 ml / liter	84 hours divided by 7 days

Using Lactomass as such, reduced the amount of feed used in the cycle and the number of days was reduced to 32 days and the results were as follows:

Total days	32
Feed per bird in gm.	2900
Average weight in gm.	2200

Lactomass showed a significant results by trimming cycle length and reducing feed intake about 600 grams per bird. The final amount of feed were just 10,15 tons instead of 12,25 tons.

Birds achieved needed weight in 32 days.



Madison Health For Veterinary Drugs

Address: Behira - Elmahmoudia Rasheed rd.
infront of new elec. st.

Phone: 01067682789 - 01200079679

Website: www.madisonhealtheg.com

e-mail: info@madisonhealtheg.com

